VOLVO V60

AUS: AUGUST 2019 - ONWARDS NZ: NOVEMBER 2019 - ONWARDS T5 VARIANTS ONLY







VOLVO V60

OVERVIEW

The Volvo V60 was introduced in Australia in August 2019 and New Zealand in November 2019. This ANCAP safety rating applies to all T5 variants. Other variants are unrated.

Dual frontal, side chest-protecting and side head-protecting (curtain) airbags are standard.

Autonomous emergency braking (City, Interurban & Vulnerable Road User) as well as lane keep assist (LKA) with lane departure warning (LDW) are standard on all variants.

ANCAP SAFETY RATING RATING YEAR (DATESTAMP) VEHICLE TYPE AIRBAGS ****

2018 MEDIUM CAR Dual frontal, side chest, side head

RATING APPLICABILITY

VARIANT	BODY TYPE	ENGINE	DRIVETRAIN	AUS	NZ
Volvo V60 T5 Momentum	4 door wagon	2.0 litre petrol	AWD	\checkmark	\checkmark
Volvo V60 T5 Inscription	4 door wagon	2.0 litre petrol	AWD	\checkmark	\checkmark
Volvo V60 T5 R-Design	4 door wagon	2.0 litre petrol	AWD	\checkmark	\checkmark
Volvo V60 T8	4 door wagon	2.0 petrol electric	AWD	×	×

✓ COVERED BY THIS RATING

× NOT COVERED BY THIS RATING 4

NG 🔷 🔶 TESTED VARIANT

ADULT OCCUPANT PROTECTION

The passenger compartment remained stable in the frontal offset test. Dummy readings indicated MARGINAL protection for the lower legs of the driver and ADEQUATE protection for the lower legs of the front passenger. Protection for all other critical body regions was GOOD.

In the full width frontal test, protection was ADEQUATE for the neck and chest of the rear passenger and GOOD for all other critical body regions for both the driver and rear passenger.

In the side impact test, protection offered to all critical body regions was GOOD.

In the oblique pole test, protection was ADEQUATE for the chest of the driver and GOOD for all other critical body regions.

The autonomous emergency braking (AEB) system scored maximum points with GOOD performance in low-speed test scenarios typical of city driving.

FRONTAL OFFSET TEST (64 KM/H)





Deductions:

Head / neck:

Chest: Upper legs: Lower legs: Deductions:

Front Passenger Head / neck: Chest: Upper legs: Lower legs:

4.00 pts 4.00 pts 4.00 pts 3.63 pts

Nil

SIDE IMPACT TEST (50 KM/H)

Nil

4.00 pts

4.00 pts

4.00 pts

2.53 pts



Driver

Head: Chest: Abdomen[.] Pelvis: Deductions: 4.00 points 4.00 points 4.00 points 4.00 points Nil

WHIPLASH (REAR IMPACT) PROTECTION TEST





Rear Passenger 0.50 points Rear: Front: 1.37 points

Driver / Front Passenger



FRONTAL OFFSET#	7.27	(out of 8)
FULL WIDTH FRONTAL [#]	7.63	(out of 8)
SIDE IMPACT [#]	8.00	(out of 8)
OBLIQUE POLE [#]	7.78	(out of 8)
WHIPLASH PROTECTION	1.87	(out of 2)
AEB - City	4.00	(out of 4)

*Scaled scores. Total test scored out of 16.00 points.

FULL WIDTH FRONTAL TEST (50 KM/H)



Driver

4.00 pts Head: Neck: 4.00 pts Chest: 4.00 pts Upper legs: 4.00 pts Deductions: Nil



Rear Passenger

OBLIQUE POLE TEST (32 KM/H)



Driver

Head:	4.00 points
Chest:	3.57 points
Abdomen:	4.00 points
Pelvis:	4.00 points
Deductions:	Nil

ons:	Nil

AEB - CITY (10-50 KM/H)

Score: 4.00 points



CHILD OCCUPANT PROTECTION

In the frontal offset and side impact tests, protection was GOOD for all critical body areas for the 6 year and 10 year child dummies. Maximum points were scored.

The Volvo V60 is fitted with lower ISOFix anchorages for rear outboard seats, and top tether anchorages for all rear seating positions.

Installation of typical child restraints available in Australia and New Zealand showed all child restraints could be accommodated in the rear outboard seating positions, however several could not be correctly installed in the centre rear seating position.

Ľ	88%
	43.24 POINTS OUT OF 49

DYNAMIC TEST (FRONT)	16.00	(out of 16)
DYNAMIC TEST (SIDE)	8.00	(out of 8)
RESTRAINT INSTALLATION	11.24	(out of 12)
ON-BOARD SAFETY FEATURES	8.00	(out of 13)

FRONTAL OFFSET TEST (64 KM/H)



6 year old

10 year old

SIDE IMPACT TEST (50 KM/H)



10 year old

6 year old

ON-BOARD SAFETY FEATURES

FEATURE		FRONT Passenger	2nd ROW OUTBOARD	2nd ROW CENTRE	3rd ROW OUTBOARD	3rd ROW CENTRE
ISOFix		×	٠	×	-	-
Integrated child restraints		×	×	×	_	-
Top tether anchorage		×	٠	۲	-	-
Airbag disabling		×	_	-	_	-
• FITTED TO TEST CAR AS STANDARD	NOT FITI	ED TO TEST CAR BUT AVAIL	ABLE AS AN OPTION	× NOT AVAILABLE	- NOT APPLICABLE	

NOTE: The child restraints fitted to vehicles tested by Euro NCAP are relevant to the European market. For Australasian consumers, this information should be used as a guide to vehicle features only. The Child Restraint Evaluation Program (CREP) provides an independent assessment on the safety of Australasian child restraints - see www.childcarseats.com.au.



CHILD OCCUPANT PROTECTION



CHILD RESTRAINT INSTALLATION*

		CHILD RESTRAINT (CRS) TYPE [^]	FRONT ROW Passenger	LEFT	2nd ROW CENTRE	RIGHT	LEFT	3rd ROW CENTRE	RIGHT
		Rearward facing capsule	×	٠	•	٠	-	-	_
	TYPE A	Rearward facing with harness - convertible (Model A)	×	٠	٠	٠	_	-	_
		Rearward facing with harness - convertible (Model B)	×	•	٠	٠	-	_	-
BELTED	TYPE B	Forward facing with harness - convertible (Model A)	×	•	•	•	_	_	-
8	ITPED	Forward facing with harness - convertible (Model B)	×	•	٠	•	-	_	-
	TYPE E	Booster - 4 to 8 years	×	٠	•	٠	-	_	_
	TYPE F	Booster - 4 to 10 years	×	٠	٠	٠	-	_	-
		Rearward facing capsule	×	٠	_	٠	-	_	_
×	TYPE A	Rearward facing with harness - convertible (Model A)	×	٠	_	٠	-	_	-
ISOFIX		Rearward facing with harness - convertible (Model B)	×	•	_	•	-	_	-
	TYPE B	Forward facing with harness - convertible (Model A)	×	•	_	•	_	_	-
	ITPEB	Forward facing with harness - convertible (Model B)	×	٠	-	٠	_	-	-

* Installation of each child restraint is assessed separately in each position. Installation of multiple restraints has not been assessed and may not be possible. ^ The above list of child restraints has been selected to provide a general indication of the rated vehicle's ability to accommodate various CRS types. ANCAP does not endorse or recommend any one CRS brand or model, nor does it rate the safety of child restraints.

INSTALL WITHOUT PROBLEM

INSTALL WITH CARE

CANNOT BE FITTED SAFELY

× INSTALLATION NOT ALLOWED - NOT APPLICABLE / NOT ASSESSED

VULNERABLE ROAD USER PROTECTION



The Volvo V60 has an 'active' bonnet. Sensors detect when a pedestrian is struck and actuators lift the bonnet to provide greater clearance from stiff components in the engine bay. The vehicle was tested with the bonnet in the raised position and predominantly GOOD results were recorded over most of the bonnet area with POOR results recorded at the base of the windscreen and on the windscreen pillars. The bumper scored maximum points for its protection of pedestrians' legs, with GOOD results at all test locations. Protection of the pelvis was mixed, with areas of GOOD and POOR performance.

The autonomous emergency braking (AEB) system is capable of detecting and reacting to vulnerable road users including pedestrians and cyclists. The AEB system offered GOOD performance in tests of its effectiveness in pedestrian test scenarios, with GOOD performance recorded in most daylight scenarios and some ADEQUATE performance in night-time scenarios. In cyclist test scenarios, the AEB system offered ADEQUATE performance. The system's overall performance was classified as ADEQUATE.

HEAD IMPACTS Upper leg impacts		(out of 24) (out of 6)
LOWER LEG IMPACTS	6.00	(out of 6)
AEB - Pedestrian AEB - Cyclist	4.56 4.30	(out of 6) (out of 6)

PEDESTRIAN IMPACT TEST (40 KM/H)




AUTONOMOUS EMERGENCY BRAKING (PEDESTRIAN & CYCLIST)

 SYSTEM NAME:
 City Safety

 TYPE:
 Autonomous emergency braking with forward collision warning

 OPERATIONAL FROM:
 4-80 km/h

 DESCRIPTION:
 System functions in the daytime and night



GOOD

ADEQUATE

MARGINAL

WEAK

POOR

SAFETY ASSIST



The Volvo V60 is fitted as standard with a range of safety assist features including autonomous emergency braking (AEB), a lane support system (LSS) with lane keep assist (LKA) and emergency lane keeping (ELK) functionality, and blind spot monitoring (BSM).

Tests of the AEB system showed GOOD performance at highway speeds with collisions avoided or mitigated in all scenarios.

Tests of the LSS system showed ADEQUATE performance in lane keep assist tests, while the more critical emergency lane keeping scenarios showed MARGINAL performance. Overall performance of the LSS system was classified as ADEQUATE.


A speed assistance system (SAS) is also standard, informing the driver of the local speed limit and allowing the driver to set speed accordingly.

A seatbelt reminder system is fitted for all front and rear seating positions, however occupant detection is not available for rear seats.

LANE SUPPORT SYSTEMS (LSS)

SYSTEM NAME: Operational from:

Lane Departure Warning with Lane Keeping Aid 65-250 km/h



TEST Scenario										
PERFORMANCE									-	-
					ADEQ	UATE				
	H	HUMAN MAC	HINE INTERF	ACE (HMI)						
FUNCTION	Lane Dep	arture Warn	ing (LDW)	P	ASS					
TONOTION	Blind Spo	t Monitoring	(BSM)	Р	ASS					
						GOOD	ADEQUATE	MARGINAL	WEAK	POOR

SPEED ASSISTANCE SYSTEMS	2.38	(out of 3)
SEAT BELT REMINDERS	2.50	(out of 3)
LANE SUPPORT SYSTEMS	2.50	(out of 4)
AEB - Interurban	2.75	(out of 3)

SAFETY ASSIST



AUTONOMOUS EMERGENCY BRAKING (INTERURBAN)

SYSTEM NAME:	City Safety
Type:	Autonomous emergency braking with forward collision warning
OPERATIONAL FROM:	4-250 km/h
Description:	Defaults ON for every journey

	HUMAN MACHINE INTERFACE (HMI)									
FUNCTION	Supplement	ary warning			PASS					
FUNCTION	Restraint ac	tivation / dyn	amic retract	tors [NO	T FITTED]					
	FORWARD COLLISION WARNING (FCW)									
		Driving to	wards a stationary	car			Driving t	owards a slowe	r moving car	
TEST SCENARIO										
			0	8	Ð					
PERFORMANCE										
		GOOD								
	AUTONOMOUS EMERGENCY BRAKING - Interurban									
		braking lightly		braking heavily		Driving towards a slower moving car				
	12m HEADWAY	40m HEADWAY	12m HEADWAY	40m HEADWAY			5B 10.101		B out	
TEST Scenario						1	s]			
		8	8		B	Ì	Ì			
PERFORMANCE		GOOD								

SPEED ASSISTANCE SYSTEMS (SAS)

SYSTEM NAME:

YSTEM NAME:	Road sign information	n & speed limiter
SAS	FEATURE	DESCRIPTION
Speed Limit Infor	mation Function (SLIF)	Camera & map
Speed Limitation	Function	System advised

SEAT BELT REMINDERS (SBR)

WARNING TYPE	DRIVER	FRONT Passenger	REAR PASSENGERS
Occupant Detection	1 –	٠	×
Visual	٠	٠	٠
Audible	•	٠	•
● PASS ● FAIL	× NOT AVAILA	BLE – NOT APP	PLICABLE
GOOD ADEQUA	TE MARG	INAL WE	AK POOR

SAFETY FEATURES & TECHNOLOGIES

	AVAILA	BII ITY
FEATURE / TECHNOLOGY~	AUS	NZ
Seat belts (three-point) for all forward-facing seats		•
Seat belt pre-tensioners (front)		
Seat belt pre-tensioners (rear outboard) - 2nd row		
Seat belt pre-tensioners (rear centre) - 2nd row		
Seat belt pre-tensioners (rear outboard) - 3rd row	-	_
Intelligent seat belt reminder (driver)	•	•
Intelligent seat belt reminder (front passenger)		
Intelligent seat belt reminder (2nd row seats)	•	•
Intelligent seat belt reminder (3rd row seats)	-	_
Airbag - frontal (driver)	•	•
Airbag - frontal (passenger)	•	•
Airbags - side, chest protection (front seats)	•	•
Airbags - side, chest protection (2nd row seats)	×	×
Airbags - side, chest protection (3rd row seats)	-	_
Airbags - side, head protection (front seats)	•	
Airbags - side, head protection (2nd row seats)		
Airbags - side, head protection (3rd row seats)	-	_
Airbag - knee (driver)	×	×
Airbag - knee (front passenger)	×	×
Airbag disabling switch - automatic (front passenger)	×	×
Airbag disabling switch - manual (front passenger)	×	×
Head restraints for all seats		
Active bonnet		
Adaptive cruise control (ACC)		
Adaptive headlights		
Anti-lock braking system (ABS)		•
Autonomous emergency braking (AEB) - City		•
Autonomous emergency braking (AEB) - Interurban	•	•
Autonomous emergency braking (AEB) - VRU	•	•
Automatic emergency call (eCall)	×	×
Automatic headlights		

Specifications & availability subject to change. Please check with the vehicle manufacturer for confirmation of vehicle specification.

● STANDARD 🔎 NOT AVAILABLE ON BASE VARIANT BUT STANDARD OR OPTIONAL ON HIGHER VARIANTS 📀 OPTIONAL 🛛 🗙 NOT AVAILABLE

MODEL VARIANTS:

ANCAP safety ratings do not automatically extend to variants that have different body styles, engine configurations, driven wheels or occupant restraint systems (e.g. fewer airbags). In these cases, ANCAP considers technical evidence submitted by manufacturers before deciding on the extension of a rating to additional variants of a model.

RATING YEAR (DATESTAMP):

Automatic high beam

The Rating Year denotes the year requirements against which a vehicle has been assessed. The Rating Year is determined by ANCAP and, for vehicles rated from 2018, the Rating Year is the year in which the vehicle was tested.

ASSESSMENT DETAILS

TESTED MAKE / MODEL TESTED VEHICLE(S) BUILT TESTED BODY TYPE TESTED VEHICLE ENGINE RATING PUBLISHED RATING UPDATED Volvo V60 D4 Momentum LHD 2018 4 door wagon 2.0 litre diesel October 2019 n/a